APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/626,658	07/25/2003	Yukihiko Furumoto	826.1884	1396

21171   7590   07/11/2007

STAAS & HALSEY LLP
SUITE 700
1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

EXAMINER
HAJNIK, DANIEL F

ART UNIT	PAPER NUMBER
2628	

MAIL DATE	DELIVERY MODE
07/11/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
Office Action Summary	10/626,658	FURUMOTO ET AL.
	Examiner	Art Unit
	Daniel F. Hajnik	2628

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on *24 April 2007*.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1,4-6 and 9-12* is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1,4-6 and 9-12* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on *07 March 2006* is/are: a)☒ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☒ All   b)☐ Some * c)☐ None of:

      1.☒ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☐ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5)☐ Notice of Informal Patent Application (PTO-152)

6)☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

1.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in
> section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are
> such that the subject matter as a whole would have been obvious at the time the invention was made to a person
> having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the
> manner in which the invention was made.

2.   Claims 1, 5, 6, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Gadh et al. (US Patent 6629065, herein referred to as "Gadh") in view of Funkhouser et al. (NPL

Document "Adaptive Display Algorithm for Interactive Frame Rates During Visualization of

Complex Virtual Environments", herein referred to as "Funkhouser").

As per claim 1, Gadh teaches the claimed:

An animation creating/editing apparatus *(col 16, lines 24-26, "The VDSF allows a user to design*

(i.e., create, edit, visualize, and manipulate) objects, including extremely complex objects, very

rapidly in a three-dimensional VE"), comprising:

a three-dimensional model *(col 21, lines 42-43, "the geometric model")* storing unit storing an

object configuring an image of an animation as three-dimensional model information *(col 16,*

lines 47-50, "(a) In a Design Intent Graph (D graph), which stores the faceted primitive

elements that are combined to assemble a design, and additionally stores the hierarchy in which

these elements were combined"), wherein the three-dimensional model information has a tree

structure *(col 22, line 46, "D for the above examples is a tree structure")* configured by a

plurality of hierarchies *(col 10, lines 36-39, "(2) the parent-child hierarchy of the elements*

within the design") which represent constraint conditions *(col 10, lines 39-42, "(3) any user-*

specified or system-specified design constraints on the elements or their relationships (e.g., two

elements are to be spaced apart by some specified distance, etc") of the three-dimensional

model, and each of the hierarchies are composed of plural nodes *(col 10, lines 65-67,*

"Node/element information includes information such as the shapes) which represent

position/direction and shapes information of the three dimensional model *(figure 19, figures 20A,*

20B, 21A, and 21B) ;

an operation instruction editing unit creating/editing an operation instructions sequence *(col 16,*

lines 24-26, "The VDSF allows a user to design (i.e. create, edit, visualize, and manipulate)

objects, including extremely complex objects") for creating/editing an animation *(col 20, lines*

66-67, "modeling and graphical rendering of created models") wherein the operation

instructions sequence comprises object operation instructions *(col 18, lines 41-42, "so that the*

user is able to pick and place objects in a natural fashion") and eye point operation instructions

(col 18, lines 21-22, "The Interaction Component provides different methods of navigation in 3D

space").

an interference detecting unit detecting an occurrence of interference between objects based on

position/direction and shape information of the three-dimensional model information, which is

caused by executing the object operation instruction; *(col 22, lines 52-56, "While the constrained*

location and alignment commands provide a quick way to position shape elements, the bounding

box-based intersection checks provide the ability to detect potential collisions between

elements")

an interference avoiding unit generating an object operation instruction to avoid the interference,

if the occurrence of the interference is detected by said interference detecting unit; *(also in col*

22, lines 52-56, where it is inherent that at least one instruction will be generated in response to

the detection of an interference, because Gadh teaches of the ability to detect potential

collisions)

Gadh does not explicitly teach the remaining claimed limitations.

Funkhouser teaches the claimed:

a discontinuity detecting unit detecting an occurrence of discontinuous scenes *(middle of 2nd col*

on page 252, "The Feedback algorithm adjusts the size threshold for LOD selection adaptively

in an effort to maintain a uniform frame rate", in this instance, the examiner is interpreting

discontinuity to mean a jump in the animation of the movement of the object, such a jump or

discontinuous movement can be due to a frame too low for the animation movement), which are

too unnaturally discontinuous to reflect a real world *(top of 2nd col on page 247, "It is important*

for a visualization system to maintain an interactive frame rate (e.g. a constant ten frames per

second). If frame rates are too slow, or too jerky, the interactive feel of the system is greatly

diminished") and are caused by executing the eye point operation instruction *(figure 6 which*

shows the path of the observer viewpoint, in this instance, the discontinuous scenes are caused

by movement of the user's viewpoint too quickly around the scene and objects, such quick

movement can cause the frame rate to drop too low, due to performance constraints, and thus

produce discontinuous movement. Funkhouser addresses this problem by making adjustments to

the animation to keep a high frame rate and thus avoid discontinuities) or the object operation

instruction;

a complementary instruction generating unit generating an object operation instruction or an eye

point operation instruction to generate a scene which complements between the discontinuous

scenes, if the occurrence of the discontinuous scenes is detected by said discontinuity detecting

unit *(middle of 2nd col on page 252, "The Feedback algorithm adjusts the size threshold for LOD*

selection adaptively in an effort to maintain a uniform frame rate. This algorithm generates a

fairly uniform frame rate in situations of smoothly varying scene complexity" where the smooth

animation with an increased frame rate generates the scene between discontinuities).

It would have been obvious to one of ordinary skill in the art at the time of invention to combine

Gadh and Funkhouser. Funkhouser teaches one advantage of the combination by teaching of "It

is important for a visualization system to maintain an interactive frame rate (e.g. a constant ten

frames per second). If frame rates are too slow, or too jerky, the interactive feel of the system is

greatly diminished" (top of 2nd col on page 247).

As per claim 5, Gadh teaches the claimed:

an editing rule storing unit *(col 23, lines 3-5, "Another role of D is to store the design*

rules/constraints specified by the designer while creating the design") storing editing rules for

editing the object operation instructions sequence when an object operation instruction is inserted/deleted/moved in/from/within the operation instruction sequence, when an animation is edited; *(col 20, lines 13-17, "Given that exact location and editing of shapes in three dimensions is difficult, the Design Editing Layer provides various types of constraints (design rules) that allow simplification of interactive placement and shape modification")*

an operation instruction editing unit referencing the editing rules, and preventing/avoiding an operation if the operation for inserting/deleting/moving an object operation instruction which violates the editing rules in/from/within the operation instruction sequence is performed *(col 20, lines 34-36, "Another implicit constraint, non-obstruction of predefined negative elements, is illustrated in FIG. 13, where the designer is not allowed to move rib r.sub.5 to obstruct hole (negative element) h.sub.4")*

As per claims 6 and 10, these claims are similar in scope to claims 1 and 5, respectively, and thus are rejected under the same rationale.

3.   Claims 4, 9, 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gadh in view of Funkhouser in further view of Kondo (US Patent 6812924).

As per claim 4, Gadh teaches the claimed:

the three-dimensional model information holds a constraint condition between objects which is

represented such that a node in a lower hierarchy of the three-dimensional model information is

constrained by a node in a higher hierarchy; *(col 23, lines 23-29, "While the links in D capture*

the parent/child hierarchy of shape elements and any design constraints concerning the

elements, the nodes contain additional geometric information")

wherein an unconstrained object is freely moved as far as it does not interfere with another

object, and, a constrained object having a predetermined movable range is moved within said

movable range as far as it does not interfere with another object *(col 28, line 66 – col 29, line 2,*

"More often than not, the designer will not want the rib to intersect any other feature on the

block ... he/she will generally not want one to 'pierce' the other; preventing the piercing

requires moving the object without causing interference")

Gadh does not explicitly the remaining limitation. Kondo teaches the claimed:

a constraint detecting unit detecting an object operation instruction which violates the constraint

condition as an error is further comprised, *(col 11, lines 52-58, "An analytic surface fit error can*

be detected ... The interference computation data select module 8 specifies the analytic surface

111 containing an error" where the interference is associated with enforcing and checking a

constraint condition).

It would have been obvious to one of ordinary skill in the art at the time of invention to combine

Gadh, Funkhouser, and Kondo. One advantage of the using the claimed error condition feature

is to better communicate design problems to the user.

As per claim 11, Gadh teaches the claimed:

an object operating unit operates an object in a virtual space upon receipt of an input of an object operation instruction from a user, *(col 16, lines 30-32, "(1) An Interaction Mechanisms Layer (or User Interaction Layer), which allows the user/designer to interact with the VDSF via input/output devices")*

the interference detecting unit checks the interference between objects which accompanies the operation; *(col 29, lines 7-11, "Ideally, such intersections should be detected in real-time so that graphical computation of the edited geometry and visual feedback to the designer can be (practically) instantaneously provided")*

when the interference occurs, the interference avoiding unit modifies a move direction of an object to a direction where the interference is resolved, so that the interference is avoided; *(col 29, lines 5-7, "Once an intersection is detected in VDSF, the designer may choose to allow or disallow the intersection, and D and S are appropriately updated")*

when an object can be moved without causing interference, the object operation instruction is stored in a corresponding instruction sequence within the operation instruction storing unit via the instruction sequence selecting unit; *(col 28, line 66 – col 29, line 2, "More often than not, the designer will not want the rib to intersect any other feature on the block; the designer may want it to attach to another element ... but he/she will generally not want one to 'pierce' the other; preventing the piercing requires moving the object without causing interference")*

the object operating unit performs a constraint deletion operation for an object by an operation

for removing an object from a tree to which the object belongs to, and the object is released from

the constraint of a parent object *(col 29, lines 5-7, "Once an intersection is detected in VDSF, the*

designer may choose to allow or disallow the intersection, and D and S are appropriately

updated" where allowing the intersection will delete the constraint between the objects that are

interfering or colliding)

Gadh does not explicitly teach the remaining claim limitation. Kondo teaches the claimed:

when the interference cannot be avoided, the object operation instruction becomes an error; *(col*

11, lines 52-58, "An analytic surface fit error can be detected ... The interference computation

data select module 8 specifies the analytic surface 111 containing an error, and selects initial

shape data of polyhedron approximation corresponding to this analytic surface 111").

It would have been obvious to one of ordinary skill in the art to combine this teaching of Kondo

with Gadh and Funkhouser. The motivation of claim 4 is incorporated herein.

As per claims 9 and 12, these claims are similar in scope to claims 4 and 11, respectively, and

thus are rejected under the same rationale.

Response to Arguments

1.   Applicant's arguments filed 4/24/2007 have been fully considered but they are not

persuasive.

Applicant argues "However, Gadh describes, when an intersection is detected, the user is warned and asked for instructions (see column 29, lines 5-7; column 31, lines 40-44). That is, the system of Gadh does not automatically generate instructions sequence to avoid the interference." (top of page 7 in filed response).

The examiner respectfully maintains that the rejections are proper because Gadh fulfills the claimed limitations by teaching of "the bounding box-based intersection checks provide the ability to detect potential collisions between elements" (col 22, lines 54-56). In this instance, the bounding-boxes surround the parts or shapes in question in order to testing during shape movement whether there is a collision by inspecting to see whether the bounding box intersects with another object. In this instance, the system would be checking for intersection of geometry between the shapes. If one of ordinary skill in the art where to implement this collision test using computer code and executed it on a computer with a processor, the code would generate instructions in a sequence to avoid the intersection. These instructions can include stopping the movement of the object when an intersection is detected within one or more bounding boxes of the geometry of shapes. These instructions would then generate instructions to warn the user that an intersection is detected. If the user acts on the warning, then the intersection can be avoided. Thus, Gadh generates instructions to avoid an interference.

Applicant argues "In other words, for example, the present invention determines whether a scene occurring in the future is discontinuous to the current scene or not." (middle of page 7 in filed response), argues "Funkhouser is completely silent regarding the claimed discontinuity detecting unit as recited in claim 1 of the present invention" (towards bottom of page 7 in filed response),

and argues "By contrast, Funkhouser is concerned with whether the interval between a frame and its successive frame becomes too long or not (i.e., whether a frame rate is too slow)" (bottom of page 7 in filed response).

The examiner respectfully maintains that the rejections are proper because Funkhouser uses rendering time as a measure of discontinuity. Rendering times, which are too long, would result in jumps or discontinuity in movement in an interactive system. For example, Funkhouser states this when he refers to jerkiness of the scene *(top of 2nd col on page 247, "If frame rates are too slow, or too jerky, the interactive feel of the system is greatly diminished")*.

Further, in response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e.," determines whether a scene occurring in the future is discontinuous to the current scene or not") are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). Rather, the claimed language states "a discontinuity detecting unit detecting an occurrence of discontinuous scenes, which are too unnaturally discontinuous to reflect a real world change". Under this claim language, the teachings of Funkhouser having frames rates too slow, or too jerky, where the interactive feel is greatly diminished is consistent with the claimed limitations. For example, reflecting a real world change through shape movement is similar to maintaining an interactive feel through geometry or shape movement on a three-dimensional system where the shapes or viewpoint are also moving due to the interaction.

Applicant argues "Funkhouser is concerned with varying a time spent for rendering each frame image and not with varying the number of frames. Thus, Funkhouser has nothing to do with an operation that leads to any increases in the number of frames." (top of page 8 in filed response). The examiner respectfully maintains that the rejections are proper because if the frame is too slow some frames would not be rendered at all. Thus, since Funkhouser can maintain an interactive frame rate, Funkhouser is concerned with varying the number of frames generated. For example, Funkhouser states the problem with frames that are too slow *(top of 2nd col on page 247, "Programs that simply render all potentially visible polygons with some predetermined quality may generate frames at highly variable rates, with no guaranteed upper bound on any single frame time ").* Funkhouser further states *(the top of 1st col on page 248, "Figure 1, simpler representations of an.object can be used to improve frame rates and memory utilization during interactive visualization" where improving frame rates can be varying the number of frames).*

Applicant argues "The Examiner relies on column 23, lines 3-5 and column 20, lines 13-27 of Gadh, which is silent regarding any of the features of claim 5." (middle of page 8 in filed response).

The examiner respectfully maintains that the rejections are proper because Gadh teaches features of claim 5 such as the claimed storing editing rules for editing the object operation instructions. Gadh teaches of *(col 20, lines 39-41, "(2) Explicit constraints, i.e., those design rules that are explicitly specified by the designer" and col 20, lines 45-47, "Unlike implicit constraints, which are built into the Design Editing Layer, explicit constraints can be redefined by the designer").*

Conclusion

2.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing

date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Daniel F. Hajnik whose telephone number is (571) 272-7642.

The examiner can normally be reached on Mon-Fri (8:30A-5:00P).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ulka J. Chauhan can be reached on (571) 272-7782. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DFH

Ulka Chauhan
Supervisor Patent Examiner

KEE M. TUNG
SUPERVISORY PATENT EXAMINER